




WHEN A WIDE OPENING IS NEEDED


but space is limited, AD Systems can provide telescoping door systems that stack on top of each other. These doors are designed for low-traffic areas that are often flexible spaces requiring maximum opening size with a minimal footprint. >>>

AD Systems offers telescoping sliding door systems that glide and overlap for ease of use and a minimal footprint. The innovative XtendSlide™ Telescoping Sliding Door system is best suited to spaces requiring large openings but with limited wall space. You can choose from options that are either surface mounted or inset with an integral sidelite.


INSET WITH INTEGRAL SIDELITE
3- OR 4-DOOR (SINGLE/DUAL DIRECTION OPENING)




INSET BIPARTING WITH INTEGRAL SIDELITES
TWO PANELS ON EACH SIDE CENTER CLOSE WITH FIXED LITES AT EACH END




SURFACE MOUNT BIPARTING
TWO PANELS ON EACH SIDE CENTER CLOSE




SURFACE MOUNTED
2-DOOR (SINGLE/DUAL DIRECTION OPENING)



INSET BYPASS BIPARTING
DOORS CAN SLIDE IN ANY DIRECTION WITH CENTER LINE RESTRICTION



INSET BYPASS
DOORS CAN SLIDE IN ANY DIRECTION WITHOUT RESTRICTION





STANDARD FEATURES

End caps with no visible fasteners for clean look from all angles (only applies to surface-mounted options)

Narrow profile but heavy gauge perimeter frame protects wall opening and resists impact

Soft-close dampening technology designed to limit the speed of the closing door

- Single soft closure available
- Dual soft closure available depending on size

Space-saving design with top hung rollers for smooth maintenance-free operation

Easy-to-clean aluminum frame system wraps and protects wall construction

2-Door Telescoping (Surface-Mounted):

- Fully customizable sizes and configurations – sidelites and storefronts (transoms not available)
- Single or bi-parting pairs of doors
- Compatible with top-hung, surface-mounted sliding doors

3- or 4-Door Telescoping (Inset in the Wall Opening):

- Inset design allows system to fit between the wall with an added integral sidelite
- Can feature almost any glazing or infill panel up to 1" thick



HARDWARE OPTIONS

High quality commercial grade hardware options

Wide range of ADA-compliant locking and latching hardware, including ADA thumb turn with occupancy indicator, keyed locks, or ADA self latching mortise locks

Key card/access control with magnetic lock (no magnetic lock on bi-parting system)

Custom pulls and profiles

3 or 4-Door Telescoping Only:

- Flush pulls and anti-ligature hardware
- Single-action egress with lever



DECORATIVE OPTIONS

Range of glazing and infill panel choices, including decorative glass, marker boards, solid infill panels, or integral blinds (telescoping only)

Available in flush wood or laminate door, wood stile and rail door with glass, and aluminum stile and rail with glass

High quality paint for uniform finish, in standard silver or any custom color

HIGH PERFORMANCE DOORS

specADsystems.com | 425.740.6011 | info@specADsystems.com

ADSYSTEMS™
HIGH PERFORMANCE DOORS

ALLEGION™ 